

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	27	((data with status) same ((common\$2 or "same" or identical\$4) with (address\$3 or location\$1))).clm.	US-PGPUB	OR	OFF	2005/12/19 15:28
S1	50	stor\$3 near4 ((condition\$2 adj1 flag\$1) near4 (result\$1 or data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 12:56
S2	20	stor\$3 near4 ((condition\$2 adj1 flag\$1) near4 (result\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 12:57
S3	1	memory near4 ((condition\$2 adj1 flag\$1) near4 (result\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:05
S4	0	((("same" or together) near4 memory) same ((condition\$2 adj1 flag\$1) near4 (result\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:06
S5	0	((("same" or together) near4 memory) with ((condition\$2 adj1 flag\$1) near4 (result\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:06
S6	0	(memory near4 address) with ((condition\$2 adj1 flag\$1) near4 (result\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:07
S7	14	memory same ((condition\$2 adj1 flag\$1) near4 (result\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:07
S8	345	(712/234).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:22
S9	236	(712/237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:22
S10	361	(712/239).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 13:22

S11	267	(712/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 15:01
S12	24	(status adj1 bit\$1) near4 (result\$1) near4 stor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/20 15:01
S13	4	register near4 (data near4 status) near4 (jump or branch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 16:14
S14	176	((jump or branch) near4 address) near4 status	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:45
S15	26	((jump or branch) near4 address) near4 (condition adj1 field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:45
S16	0	((jump or branch) near4 address) near4 (condition adj1 field) near4 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:51
S17	47	((jump or branch) near4 address) near4 status near4 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:45
S18	88	((jump or branch) near4 address) near4 condition\$1 near4 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:58
S19	0	((jump or branch) adj1 register) near4 (branch adj1 data) near4 (branch adj1 condition)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:58
S20	0	((jump or branch) adj1 register) near4 ((branch or jump) adj1 data) near4 ((branch or condition) adj1 condition)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 16:59
S21	1	((jump or branch) adj1 register) near4 data near4 condition	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:00
S22	421	((jump or branch) adj1 register)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:00

S23	7	((jump or branch) adj1 register) near4 condition	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:03
S24	20	(condition adj1 code) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:31
S25	3	(condition adj1 flag) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:34
S26	3	(status adj1 flag) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:35
S27	12	(status adj1 field\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:30
S28	1	(condition adj1 field\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:30
S29	37	(condition adj1 code\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:31
S30	4	(condition adj1 flag\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:52
S31	6	(status adj1 flag\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:53
S32	2	(condition adj1 bit\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:52
S33	10	(status adj1 bit\$1) near4 (result near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/17 17:53
S34	5	((("4788655") or ("3573854") or ("5193157") or ("6324641") or ("4967351"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/10/20 07:52

S35	41	(jump near4 compare) near4 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/19 16:14
S36	6	("5502826" "5539888" "6175370" "6324643" "6330657" "6338136").PN.	USPAT	OR	OFF	2004/08/19 16:19
S37	379	(712/234).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:47
S38	251	(712/237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:48
S39	388	(712/239).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:48
S40	285	(712/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:48
S41	390	(712/234).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 15:50
S42	260	(712/237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 15:50
S43	412	(712/239).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 15:50
S44	302	(712/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 15:50
S45	61	cocke.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 15:51

S46	5	cocke.in. and jump	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 16:20
S47	13	cocke.in. and branch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 15:52
S48	19	cocke.in. and (jump\$3 or branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 16:22
S49	3	cocke\$.in. and "712"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/13 16:38
S50	260	(712/237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 07:46
S51	414	(712/239).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 07:46
S52	302	(712/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 07:46
S53	390	(712/234).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 07:46
S54	274	(712/237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 13:29
S55	431	(712/239).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 13:29
S56	406	(712/234).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 13:29

S57	312	(712/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 13:29
S58	58	(data near4 status) near4 ((common\$2 or "same" or identical\$4) near4 (address\$3 or location\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/19 15:28



Welcome United States Patent and Trademark Office

[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Mon, 19 Dec 2005, 3:36:26 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results:

#1 (((data <sentence> status) <paragraph> ((common <or> commonly <or> same <or> identical <or> identically) <sentence> (address <or> addresses <or> addressing <or> location <or> locations))))<in>metadata)

#2 (((data <sentence> status) <paragraph> ((common <or> commonly <or> same <or> identical <or> identically) <sentence> (address <or> addresses <or> addressing <or> location <or> locations))))<in>metadata)

#3 (((data <sentence> status) <paragraph> ((common <or> commonly <or> same <or> identical <or> identically) <sentence> (address <or> addresses <or> addressing <or> location <or> locations))))<in>metadata)

#4 (((jump <near/4> (flag <or> flags <or> (status <near/1> (bit <or> bits)))) <paragraph> ((without <or> remove <or> removes <or> removing <or> replace <or> replaces <or> replacing) <sentence> ((eflag <or> eflags <or> (flag <or> flags)) <near/4> (register <or> registers))))<in>metadata)

Indexed by
Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved